



THE WEIZMANN SCIENCE PRESS OF ISRAEL

National Council for Research and Development

ISRAEL Journal of BOTANY

Volume 26

1977

1
93



מוסד ויצמן לפרסומים במדעי הטבע ובטכנולוגיה, ירושלים
THE WEIZMANN SCIENCE PRESS OF ISRAEL

Publishers of the following journals

ISRAEL JOURNAL OF BOTANY; ISRAEL JOURNAL OF CHEMISTRY;
ISRAEL JOURNAL OF EARTH-SCIENCES; ISRAEL JOURNAL OF MATHEMATICS;
ISRAEL JOURNAL OF TECHNOLOGY; ISRAEL JOURNAL OF ZOOLOGY;
JOURNAL D'ANALYSE MATHEMATIQUE

לרעת מדע לנער המתבגר (SCIENCE FOR YOUTH)

בוע עתון מדעי לכל (SCIENCE)

Supporting Institutions

THE NATIONAL COUNCIL FOR RESEARCH AND DEVELOPMENT;
BAR-ILAN UNIVERSITY; BEN GURION UNIVERSITY OF THE NEGEV;
TECHNION—ISRAEL INSTITUTE OF TECHNOLOGY; TEL AVIV UNIVERSITY;
THE HEBREW UNIVERSITY OF JERUSALEM; THE WEIZMANN INSTITUTE OF SCIENCE

GENERAL EDITORIAL BOARD

D. ABIR
I. ARNON
A. DVORETZKY
H. EYAL-GILADI
H. HANANI
M. JAMMER
J. JORTNER
E. KATCHALSKI-KATZIR
N. SHARON
Y. WEILER

Executive Editor

L. LESTER

**ISRAEL JOURNAL
OF BOTANY**

Formerly Bulletin of the Research
Council of Israel, Section D

Editorial Board

LEONORA REINHOLD *Editor-in-chief*
D. ATSMON
B. L. EPEL
CHAIA C. HEYN
M. LITAV
I. NOY-MEIR
J. PALTÍ
T. SACHS
M. TAL

Coordinator

M. NEGBI

Subscriptions are to be addressed to the Weizmann Science Press of Israel, P.O.B. 801, Jerusalem 91000, Israel. In Europe, orders may be sent to Wm. Dawson & Sons Ltd., Cannon House, Macklin Street, London, W.C.2, or to booksellers. Subscription fees per volume, \$ 25.00.

Copyright © 1977 by THE WEIZMANN SCIENCE PRESS OF ISRAEL

ISRAEL JOURNAL OF BOTANY
VOLUME 26, 1977
TABLE OF CONTENTS

Number 1

ANATOMY

- Structure of the epidermal and subepidermal cells of some desert plants of Israel.
Anabasis articulata and *Calligonum comosum* O. B. Lyshede 1

TAXONOMY

- Studies in the genus *Gagea* (Liliaceae) II. The non-platyspermous species from the Galilee, the Golan Heights and Mt. Hermon C. C. Heyn and A. Dafni 11

- Kickxia judaica* sp. n. (Scrophulariaceae) and some related species from deserts of Israel and Sinai A. Danin 23

PLANT GEOGRAPHY AND ECOLOGY

- New data on the occurrence of *Antirrhinum siculum* Mill. in Israel R. Karschon and A. Weinstein 32
An ecological niche for *Lemna gibba* L. that depends on seed formation A. Witztum 36

ORIGIN OF CULTIVATED PLANTS

- Comments on the origin of cultivated broad bean, *Vicia faba* L. D. Zohary 39

- BOOK REVIEWS 41

SCIENTIFIC MEETINGS

- Abstracts of papers presented at the meeting of the Botanical Society of Israel, 1976 43

Number 2

ECOLOGY

- Competition between *Medicago polymorpha* and *Avena sativa* under conditions of constant density M. Litav and N. Zeligman 53

TAXONOMY

- Cytology and distribution of *Ornithogalum* in Israel. I. Section *Heliocharmos* Bak. U. Kushnir, J. Galil and M. Feldman 63

- Cytology and distribution of *Ornithogalum* in Israel. II. Section *Beryllis* (Salisb.) Bak. U. Kushnir, J. Galil and M. Feldman 83

- New records of mosses in Israel F. Bilewsky 93

- Nomenclature of a Mediterranean sedge, *Cyperus capitatus* Vand. (Cyperaceae) S. S. Hooper 98

PHYSIOLOGY

- Absciscic acid and germination in *Avena sterilis* L. M. Tal 100

- BOOK REVIEWS 104

Number 3

PHYSIOLOGY AND ANATOMY

- Exudation and chloroplast fragmentation as a result of ultraviolet irradiation in *Spirodela oligorhiza* A. Witztum and Z. Shapira 109

TAXONOMY

- Studies in populations of the Old World *Lupinus* species. I. Chromosomes of the East-Mediterranean lupines B. Pazy, C. C. Heyn, I. Herrnstadt and U. Plitmann 115
Allium species of Mt. Hermon. I. Taxonomy F. Kollmann and A. Shmida 128
Allium species of Mt. Hermon. II. Distribution, variation and polyploidy correlated with vertical zonation A. Shmida and F. Kollmann 149

BOOK REVIEWS

160

Number 4

ECOLOGY

- A simulation model of a semiarid Mediterranean grazing system N. H. Tadmor, I. Noy-Meir, U. Safriel, N. Seligman, A. Goldman, J. Katznelson, E. Eyal and R. Benjamin 161

TAXONOMY

- A new review of the genus *Crocus* in Israel and neighbouring countries N. Feinbrun and A. Shmida 172
Aegilops searsii, a new species of section *Sitopsis* (*Platystachys*) M. Feldman and M. Kislev 190

ANATOMY AND PHYSIOLOGY

- Wall ingrowths in the embryo sac of *Euphorbia helioscopia* P. Gori 202
 Influence of flurenol and chlorflurenol on growth, flowering and sex expression in muskmelon (*Cucumis melo* L.) A. K. Bisaria 209

AUTHOR INDEX

- | | | |
|---------------------|--------------------------|------------------------|
| Aloni, R., 45 | Edelman, M., 49 | Hepher, B., 51 |
| Altman, A., 45 | Eyal, E., 161 | Herrnstadt, I., 115 |
| Bar-Nun, N., 48 | Feinbrun, N., 172 | Heyn, C. C., 11, 115 |
| Bar Shalom, I., 47 | Feldman, M., 63, 83, 190 | Hochberg, M., 48 |
| Ben Jaacov, J., 49 | Gad, A. E., 45 | Hooper, S. S., 98 |
| Benjamin, R., 161 | Galil, J., 51, 63 | Horovitz, A., 43, 51 |
| Berner, T., 44 | Galun, M., 46 | Ilan, R., 51 |
| Bilevsky, F., 93 | Gelmond, H., 50 | Ivri, Y., 52 |
| Bisaria, A. K., 209 | Giladi, I., 45 | Jakob, K. M., 49 |
| Bocion, P. F., 47 | Goldman, A., 161 | Kadman, A., 50 |
| Bravdo, B., 47 | Goren, R., 45 | Kadman-Zahavi, A., 52 |
| Cohen, A., 50 | Gori, P., 202 | Karschon, R., 32, 43 |
| Cohen, S., 44 | Gressel, J., 47, 49 | Katznelson, J., 161 |
| Cohen, y., 44, 48 | Hagiladi, A., 49 | Kislev, M., 190 |
| Dafni, A., 11, 52 | Harif, I., 43 | Kollmann, F., 128, 149 |
| Danin, A., 23 | Hasson, E., 48 | Koton, A., 51 |
| Dulberger, R., 52 | Heichal, O., 48 | Kushnir, U., 63 |

Levi, Y., 44
 Levy, D., 44, 48
 Litav, M., 53
 Luria, I., 50
 Lurie, S., 47
 Lysheide, O. B., 1

Marco, S., 48
 Millet, E., 47

Naveh, Z., 50
 Nerson, H., 47
 Nissenbaum, A., 46
 Noy-Meir, I., 161

Ornduff, R., 52

Palgi, A., 47
 Pazy, B., 115
 Perl, M., 50
 Pinthus, M. J., 47
 Plitmann, U., 115
 Poljakoff-Mayber, A., 48
 Porath, D., 51

Reisfeld, A., 49
 Richmond, A. E., 44
 Rikin, A., 44

Safriel, U., 161
 Seligman, N., 161
 Shapira, Z., 109
 Shmida, A., 128, 149, 172
 Shomer-Ilan, A., 46

Tadmor, N. H., 161
 Tal, M., 100
 Tsvion, Y., 46

Waisel, Y., 46
 Weinstein, A., 32, 43
 Witztum, A., 36, 109

Zamski, E., 46
 Zeligman, N., 53
 Zieslin, N., 51
 Zilkah, S., 47
 Zohary, D., 39

SUBJECT INDEX

abscisic acid
Avena, 100-103
 citrus, 45
 cucumber, 44
Spirodela, 109-114
Acacia baileyana, 49
Aegilops longissima vs. *Ae. searsii*, 190-201
searsii n. sp., 190-201
Agonis flexuosa, 49
Allium
ampeloprasum, 128 ff
albotunicatum, 128 ff
asclepiadeum, 128 ff
calyptratum, 128 ff
carmeli, 128 ff
feinbergii, 128 ff
libani, 128 ff
neapolitanicum, 128 ff
pallens, 128 ff
paniculatum, 128 ff
phaneranthum, 128 ff
pseudocalyptratum, 128 ff
pseudostamineum, 128 ff
rotundum, 128 ff
rupicola, 128 ff
sannineum, 128 ff
schubertii, 128 ff
 spp. of Mt. Hermon, 128 ff
stamineum, 128 ff
trachycoleum, 128 ff
trifoliatum, 128 ff
zebdanense, 128 ff
Anabasis articulata, epidermis, 1-10

Anemone coronaria, variable traits, 43
Antirrhinum siculum, 32-35
 apical dominance
 cucumis, 210-211
 tobacco, 46
Apium graveolens, 4
Atriplex, 9
Avena competition, 53-62
 germination, 100-103
 avocado, zinc application, 50

Benzyladenine, in citrus buds, 45
Bryum argenteum, 95

Calligonum comosum, epidermis 1-10
 catalase, inhibition, 48
 cell wall ingrowths, 202-208
 chlorflurenol, 209 ff
 chloroplast, *Spirodela*, 109-114
 chromosome counts
Aegilops, 198
Allium, 149-159
Crocus, 183-185
Gagea, 11-12
Lupinus, 115-127
Ornithogalum, 63-92

Chrysanthemum segetum, 47
Cinclidotus danubicus, 93
Cirsium arvense, 47
 climate, oscillations, 188
 competition, between *Avena* and *Medicago*, 53-62

Crocus

- aleppicus*, 172 ff
- cancellatus*, 172 ff
- damascenus*, 172 ff
- geography, 185-188
- haussknechtii*, 174
- hormoneus*, 172 ff
- hyemalis*, 172 ff
- in Israel and neighbouring countries, 172-189
- key to spp, 173
- moabiticus*, 172 ff
- ochroleucus*, 172 ff
- olbanus*, 172 ff

Ctenopharygodon idella (grass carp), 51

cucumber

- ABA, 44
- CMV, 48
- ethylene, 48

Cucumis melo

- flowering, 209 ff
- growth, 209 ff
- sex expression, 209 ff

Cyperus capitatus, nomenclature, 98-99

cytology

- Allium*, 149-159
- Crocus*, 183-185
- Gagea*, 11-12
- Lupinus*, 115-127
- Ornithogalum*, 63-92

Dalbergia sisso, 49

differentiation

- fiber, 45
- wheat spike, 47
- drought tolerance, 50
- duckweed, protein production, 51
- see *Spirodela*, *Lemna*

ecological niche, *Lemna gibba*, 36-38

embryo sac, *Euphorbia*, 202-208

Entrolobium contortii siliqua, 49

epidermis, structure

- Anabasis*, 4 ff
- Calligonum*, 7 ff
- desert plants, 1-10

Epipactis consimilis, 52

- ethylene, cucumber, 48

Euphorbia helioscopia

- embryo sac, 202-208

Ficus sycamorus, 49

floral dimorphism, *Wachendorfia*, 52

flowering

Cucumis, 209-211

Xanthium, 52

flurenol, 209 ff

Funaria obtusa, 95

Gagea

- villosa*, 11-22
- micrantha*, 11-22
- bohémica*, 11-22
- fistulosa*, 11-22

Genista aetnensis, 4

germination, *Avena*, 100-103

grazing, simulated model, 161-171

growth, *Cucumis*, 209 ff

Hirschfeldia incana, 51

Hornungia, 11-12

Kickxia

- acerbiana*, 24 ff
- aegyptiaca*, 24 ff
- judaica*, 23-31
- macilenta*, 25 ff

landscaping, 49-50

Lemna

- gibba*, 36-38, 51
- minor*, 51

lichens, variation in C isotope ratio, 46

lime stone, tolerance, 50

Lupinus

- albus*, 115-127
- angustifolius*, 115-127
- cosentinii*, 115-127
- luteus*, 115-127
- micranthus*, 115-127
- palaestinus*, 115-127
- pilosus*, 115-127

Lycopersicon esculentum, 47

Medicago polymorpha, competition, 53-62

morphactins, *Cucumis*, 209 ff

mosses, new records in Israel, 93-97

Ornithogalum

- divergens*, 63-82
- eigii*, 63-82
- fuscens*, 83-92
- montanum*, 63-82
- narbonense*, 83-92
- neurostegium*, 63-82
- trichophyllum*, 63-82

Orthotrichum schimperii, 96

- Peronospora*, on tobacco, 48
Peltophorum dubium, 49
 phloem, internal, role of in tobacco, 46
 phytotoxicity of herbicides, 47
Pinus halepensis, 50
Pisum sativum, 48
Platanus orientalis, 49
 pollination ecology, *Epipactis*, 52

Quercus calliprinos, establishment, 43-44

Ramalina duriaei, 46
 ribulose diphosphate carboxylase
 tomato fruit, 47
 rose, renewal shoots, 51
Rumex obtusifolius, 47

Salsola kali, 9
 salt tolerance, sugar metabolism, 48
Schinus lentiscifolius, 49
 scopoletin, induction of catalase inhibition, 48
 seed
 formation, *Lemna*, 36-38
 germination, *Avena*, 100-103
 vigor, sorghum, 50
 sex expression
 Cucumis, 209-214
 Hirschfeldia, 51
 simulation model, grazing system, 161-171
Solanum nigrum, 47
Spartocytisus filipes, 4
Sphaerophoria
 rueppelii (hover fly), 52
 scripta (hover fly), 52
Spirodela oligorrhiza
 abscisic acid, 109-114
 chloroplasts, fragmentation, 109-114
 m-RNAs, 49
 UV damage, 109-114

Sorghum vulgare, seed vigor, 50
 stem, anatomy
 Anabasis, 2 ff
 Calligonum, 2 ff
 subepidermis, desert plants, 1-10

Taxodium distichum, 49
 taxonomy
 Aegilops, 190 ff
 Allium, 128 ff
 Crocus, 172 ff
 Cyperus, 98 ff
 Gagea, 11 ff
 Kickxia, 23 ff
 Lupinus, 115 ff
 Ornithogalum, 63 ff
Teleoschistes villosus, 46
Tipuana tipu, 49
 tobacco
 apical dominance, 46
 leaf infection by *Peronospora*, 48
Tortula ruralis, 93
Triticum searsii, 191
 tuber initiation, potatoes, 44

 ultra violate, damage, *Spirodela*, 109-114

 vegetation belts, Mt. Hermon, 150-151
 vertical zonation of *Allium* spp 149-159
Vicia faba, origin of, 39-40

Wachendorfia paniculata, 52
 wheat
 origin, 200
 spike differentiation, 47

Xanthium, 52

Zea mays, 9

